

```

NEW FILE.
DATASET NAME DataSet4 WINDOW=FRONT.
REGRESSION
  /MISSING LISTWISE
  /STATISTICS COEFF OUTS R ANOVA
  /CRITERIA=PIN(.05) POUT(.10)
  /NOORIGIN
  /DEPENDENT VAR00003
  /METHOD=ENTER VAR00001 VAR00002.

```

Regression

[DataSet4]

Variables Entered/Removed^a

Mode	Variables Entered	Variables Removed	Method
1	VAR00002, VAR00001 ^a	.	Enter

- a. All requested variables entered.
b. Dependent Variable: VAR00003

Model Summary

Mode	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.621 ^a	.385	.366	14.30496

- a. Predictors: (Constant), kedisiplinan, minat belajar

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	8085.953	2	4042.977	19.757	.000 ^a
	Residual	12891.804	63	204.632		
	Total	20977.758	65			

- a. Predictors: (Constant), kedisiplinan, minat belajar
b. Dependent Variable: prestasi belajar

Coefficients^a

Model	Unstandardized Coefficients		Standardized Coefficients	t	Sig.	
	B	Std. Error	Beta			
1	(Constant)	11.155	19.653		.568	.572
	Minat Belajar	.260	.097	.282	2.677	.009
	Kedisiplinan	.894	.203	.464	4.400	.000

a. Dependent Variable: Prestasi Belajar